



- Altobelli E, Lattanzi A, Paduano R, Varassi G, di Orio F. Colorectal cancer prevention in Europe: burden of disease and status of screening programs. *Prev Med* 2014;62:132-41.
- Aparo S, Goel S. Evolvement of the treatment paradigm for metastatic colon cancer. From chemotherapy to targeted therapy. *Crit Rev Oncol Hematol* 2012;83(1):47-58.
- Arezzo A, Passera R, Salvai A et al. Laparoscopy for rectal cancer is oncologically adequate: a systematic review and meta-analysis of the literature. *Surg Endosc* 2014;29(2):334-48.
- Asgeirsson T, Zhang S, Senagore AJ. Optimal follow-up to curative colon and rectal cancer surgery: how and for how long? *Surg Oncol Clin N Am* 2010;19(4):861-73.
- Associazione italiana di oncologia medica. Linee guida. Tumori del colon retto. AIOM 2014. <http://bit.ly/1NEmCRz>
- Associazione Italiana Radioterapia Oncologica. *La Radioterapia dei Tumori Gastrointestinali. Indicazioni e Criteri Guida*. Gruppo di Studio AIRO per i Tumori Gastrointestinali 2014. Disponibile all'indirizzo: [http://www.radioterapiaitalia.it/cont\\_\\_169.phtml](http://www.radioterapiaitalia.it/cont__169.phtml)
- Beaumont C, Pandey T, Gaines Fricke R, Laryea J, Jambhekar K. MR evaluation of rectal cancer: current concepts. *Curr Probl Diagn Radiol* 2013;42(3):99-112.
- Bipat S, Niekel MC, Comans EF et al. Imaging modalities for the staging of patients with colorectal cancer. *Neth J Med* 2012;70(1):26-34.
- Blackmore AE, Wong MT, Tang CL. Evolution of laparoscopy in colorectal surgery: an evidence-based review. *World J Gastroenterol* 2014;20(17):4926-33.
- Câr ân ET, Pârnu D, Sfoiu A. Endoscopic ultrasound: current role and future perspectives in managing rectal cancer patients. *J Gastrointestin Liver Dis* 2011;20(4):407-13.
- Cercek A, Goodman KA, Hajj C et al. Neoadjuvant chemotherapy first, followed by chemoradiation and then surgery, in the management of locally advanced rectal cancer. *J Natl Compr Canc Netw* 2014;12(4):513-9.
- Cirocchi R, Farinella E, Trastulli S et al. Safety and efficacy of endoscopic colonic stenting as a bridge to surgery in the management of intestinal obstruction due to left colon and rectal cancer: a systematic review and meta-analysis. *Surg Oncol* 2013;22(1):14-21.
- de Gramont A, de Gramont A, Chibaudel B, Larsen AK, Tournigand C, André T; GERCOR French Oncology Research Group. The evolution of adjuvant therapy in the treatment of early-stage colon cancer. *Clin Colorectal Cancer* 2011;10(4):218-26.
- De Caluwé L, Van Nieuwenhove Y, Ceelen WP. Preoperative chemoradiation versus radiation alone for stage II and III resectable rectal cancer. *Cochrane Database Syst Rev* 2013;2:CD006041.
- de Wijkerslooth TR, Bossuyt PM, Dekker E. Strategies in screening for colon carcinoma. *Neth J Med* 2011;69(3):112-9.
- Ding Y, Xuan W, Chen C et al. Differences in carcinoembryonic antigen levels between colon and rectal cancer. *Mol Clin Oncol* 2014;2(4):618-22.
- Duffy MJ, van Dalen A, Haglund C et al. Tumour markers in colorectal cancer: European Group on Tumour Markers (EGTM) guidelines for clinical use. *Eur J Cancer* 2007;43(9):1348-60.
- Elmunzer BJ, Hayward RA, Schoenfeld PS, Saini SD, Deshpande A, Waljee AK. Effect of flexible sigmoidoscopy-based screening on incidence and mortality of colorectal cancer: a systematic review and meta-analysis of randomized controlled trials. *PLoS Med* 2012;9(12):e1001352.
- Fokas E, Liersch T, Fietkau R et al. Tumor regression grading after pre-operative chemoradiotherapy for locally advanced rectal carcinoma revisited: updated results of the CAO/ ARO/AIO-94 trial. *J Clin Oncol* 2014;32(15):1554-62.
- Fornaro L, Caparello C, Vivaldi C et al. Bevacizumab in the pre-operative treatment of locally advanced rectal cancer: a systematic review. *World J Gastroenterol* 2014;20(20):6081-91.
- Frago R, Ramirez E, Millan M, Kreisler E, del Valle E, Biondo S. Current management of acute malignant large bowel obstruction: a systematic review. *Am J Surg* 2014;207(1):127-38.
- Genovesi D, Mazzilli L, Trignani M et al. Developing a decision-making model based on an interdisciplinary oncological care group for the management of colorectal cancer. *Anticancer Res* 2014;34(5):2525-31.
- Glimelius B. Neo-adjuvant radiotherapy in rectal cancer. *World J Gastroenterol* 2013;19(46):8489-501.
- Glimelius B, Turet E, Cervantes A, Arnold D; ESMO Guidelines Working Group. Rectal cancer: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. *Ann Oncol* 2013;24 Suppl 6:vi81-8.
- Gollub MJ, Schwartz LH, Akhurst T. Update on colorectal cancer imaging. *Radiol Clin North Am* 2007;45(1):85-118.
- Grávalos C, García-Escobar I, García-Alfonso P, Cassinello J, Malón D, Carrato A. Adjuvant chemotherapy for stages II, III and IV of colon cancer. *Clin Transl Oncol* 2009;11(8):526-33.
- Hewitson P, Glasziou P, Watson E, Towler B, Irwig L. Cochrane systematic review of colorectal cancer screening using the fecal occult blood test (hemoccult): an update. *Am J Gastroenterol* 2008;103(6):1541-9.
- Holme Ø, Bretthauer M, Fretheim A, Odgaard-Jensen J, Hoff G. Flexible sigmoidoscopy versus faecal occult blood testing for colorectal cancer screening in asymptomatic individuals. *Cochrane Database Syst Rev* 2013;9:CD009259.

- Huang CS, Lin JK, Wang LW et al. Assessment of the value of carcinoembryonic antigen reduction ratio as a prognosis factor in rectal cancer. *Am J Surg* 2014;208(1):99-105.
- Jayne DG, Thorpe HC, Copeland J, Quirke P, Brown JM, Guillou PJ. Five-year follow-up of the Medical Research Council CLASICC trial of laparoscopically assisted versus open surgery for colorectal cancer. *Br J Surg* 2010;97 (11):1638-45.
- Jeffery M, Hickey BE, Hider PN. Follow-up strategies for patients treated for non-metastatic colorectal cancer. *Cochrane Database Syst Rev* 2007;24(1):CD002200.
- Jeong SY, Park JW, Nam BH et al. Open versus laparoscopic surgery for mid-rectal or low-rectal cancer after neoadjuvant chemoradiotherapy (COREAN trial): survival outcomes of an open-label, non-inferiority, randomised controlled trial. *Lancet Oncol* 2014;15(7):767-74.
- Kav T, Bayraktar Y. How useful is rectal endosonography in the staging of rectal cancer? *World J Gastroenterol* 2010; 16(6):691-7.
- Kim CW, Yoon YS, Park IJ, Lim SB, Yu CS, Kim JC. Elevation of preoperative s-CEA concentration in stage IIA colorectal cancer can also be a high risk factor for stage II patients. *Ann Surg Oncol* 2013; 20(9):2914-20.
- Labianca R, Beretta GD, Kildani B et al. Colon cancer. *Crit Rev Oncol Hematol* 2010;74(2):106-33.
- Labianca R, Nordlinger B, Beretta GD et al; ESMO Guidelines Working Group. Early colon cancer: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. *Ann Oncol* 2013;24 Suppl 6:vi64-72.
- Leo E, Belli F, Bonfanti G et al. Le complicanze della chirurgia coloretale. *Atti della SIC* 2004;3:147-50.
- Liang TY, Anil G, Ang BW. Imaging paradigms in assessment of rectal carcinoma: loco-regional and distant staging. *Cancer Imaging* 2012;12:290-303.
- Lohrisch C, Paltiel C, Gelmon K et al. Impact on survival of time from definitive surgery to initiation of adjuvant chemotherapy for early-stage breast cancer. *J Clin Oncol* 2006;24(30):4888-94.
- Martin-Perez B, Andrade-Ribeiro GD, Hunter L, Atallah S. A systematic review of transanal minimally invasive surgery (TAMIS) from 2010 to 2013. *Tech Coloproctol* 2014;18 (9):775-88.
- McKeown E, Nelson DW, Johnson EK et al. Current approaches and challenges for monitoring treatment response in colon and rectal cancer. *J Cancer* 2014;5(1):31-43.
- Parnaby CN, Bailey W, Balasingam A et al. Pulmonary staging in colorectal cancer: a review. *Colorectal Dis* 2012;14(6): 660-70.
- Piccoli M, Agresta F, Trapani V et al; Italian Surgical Societies Working Group. Clinical competence in the surgery of rectal cancer: the Italian Consensus Conference. *Int J Colorectal Dis* 2014;29 (7):863-75.
- Pinzon MC, Hayden DM, Ariel D et al. Are our publications failing the inspection?: a review of the publications in rectal cancer surgery between 2002 and 2012. *Dis Colon Rectum* 2014;57(8): 983-92.
- Ptok H, Gastinger I, Lippert H. Local diagnostics for rectal cancer. What is realistic? *Chirurg* 2012;83(5):448-51.
- Quintero E, Castells A, Bujanda L et al. Colonoscopy versus fecal immunochemical testing in colorectal-cancer screening. *N Engl J Med* 2012;366(8):697-706.
- Reese ES, Onukwughu E, Hanna N, Seal BS, Mullins CD. Clinical and demographic characteristics associated with the receipt of chemotherapy treatment among 7951 elderly metastatic colon cancer patients. *Cancer Med* 2013;2(6):907-15.
- Reibetanz J, Germer CT. Laparoscopic vs open rectal carcinoma surgery: short-term results of the COLOR II trial. *Chirurg* 2013;84 (6):526.
- Samee A, Selvasekar CR. Current trends in staging rectal cancer. *World J Gastroenterol* 2011;17(7):828-34.
- Schmoll HJ, Van Cutsem E, Stein A et al. ESMO Consensus Guidelines for management of patients with colon and rectal cancer – a personalized approach to clinical decision making. *Ann Oncol* 2012;23(10):2479-516.
- Schwenk W, Haase O, Neudecker J, Müller JM. Short term benefits for laparoscopic colorectal resection. *Cochrane Database Syst Rev* 2005;(3):CD003145.
- Tan E, Gouvas N, Nicholls RJ, Ziprin P, Xynos E, Tekkis PP. Diagnostic precision of carcinoembryonic antigen in the detection of recurrence of colorectal cancer. *Surg Oncol* 2009;18(1):15-24.
- Tarantino I, Warschkow R, Worni M et al. Elevated preoperative CEA is associated with worse survival in stage I-III rectal cancer patients. *Br J Cancer* 2012;107(2):266-74.
- Thirunavukarasu P, Sukumar S, Sathiaiah M et al. C-stage in colon cancer: implications of carcinoembryonic antigen biomarker in staging, prognosis, and management. *J Natl Cancer Inst* 2011;103 (8):689-97.
- Tsikitis VL, Malireddy K, Green EA et al. Postoperative surveillance recommendations for early stage colon cancer based on results from the clinical outcomes of surgical therapy trial. *J Clin Oncol* 2009;27 (22):3671-6.
- Tudyka V, Blomqvist L, Beets-Tan RG et al. EURECCA consensus conference highlights about colon and rectal cancer multidisciplinary management: the radiology experts review. *Eur J Surg Oncol* 2014; 40(4):469-75.
- Wallin U, Rothenberger D, Lowry A, Luepker R, Mellgren A. CEA – a predictor for pathologic complete response after neoadjuvant therapy for rectal cancer. *Dis Colon Rectum* 2013;56(7):859-68.
- Weber GF, Rosenberg R, Murphy JE, Meyer zum Büschenfelde C, Friess H. Multimodal treatment strategies for locally advanced rectal cancer. *Expert Rev Anticancer Ther* 2012;12(4):481-94.
- Winner M, Mooney SJ, Hershman DL et al. Incidence and predictors of bowel obstruction in elderly patients with stage IV colon cancer: a population-based cohort study. *JAMA Surg* 2013;148(8): 715-22.
- Zhao RS, Wang H, Zhou ZY, Zhou Q, Mulholland MW. Restaging of locally advanced rectal cancer with magnetic resonance imaging and endoluminal ultrasound after preoperative chemoradiotherapy: a systemic review and meta-analysis. *Dis Colon Rectum* 2014;57 (3):388-95.
- Zheng Z, Jemal A, Chieh CL, Hu CY, Chang GJ. Comparative effectiveness of laparoscopy vs open colectomy among nonmetastatic colon cancer patients: an analysis using the National Cancer Data Base. *J Natl Cancer Inst* 2015;107(3).